



AJ Wall

The fixture emits downward directed light. The angle of the shade and rotation can be adjusted to optimize light distribution. The shade is painted white on the inside to ensure a soft comfortable light.



Arne Jacobsen

Arne Jacobsen was born and raised in Copenhagen. In 1927, he graduated as an architect from the Royal Danish Academy of Fine Arts in Copenhagen. After graduating, he obtained his first job at the office of the City Architect of Copenhagen launching his own office only two years later.



Product info

Information

The white version is supplied with a white cable. The other versions are supplied with a black cable.

Mounting

Cable type: Plastic cord with plug. Cable length: 2.4m. Light control: Switch in wallbox.

Finish

Stainless Steel, polished. White, Black, Aubergine, Dark Green, Dark Grey, Light Grey, Midnight Blue, Pale Petroleum, Rusty Red, Yellow Ochre, wet painted.

Materials

Shade: Spun steel or stainless steel. Wall box: Spun steel or deep drawn stainless steel. Arm: Steel or stainless steel.

Sizes and weights

Width x Height x Length (mm) | 318 x 180 x 125 Max 0,9 kg

Class

Ingress protection IP20. Electric shock protection II w/o ground.

Light source

1x20W E14

Information

The white version is supplied with a white cable. The other versions are supplied with a black cable.



Product family



AJ Table



AJ Floor



AJ 50 Wall



AJ Mini Table



AJ Royal

Product variants

Colour	Cable type	Light source
<input checked="" type="radio"/> Aubergine	BLK PL	1x20W E14
<input checked="" type="radio"/> Black	WHT PL	
<input type="radio"/> Dark green		
<input type="radio"/> Dark grey		
<input type="radio"/> Light grey		
<input type="radio"/> Midnight blue		
<input type="radio"/> Pale petroleum		
<input type="radio"/> Rusty red		
<input type="radio"/> Stainless steel polished		
<input type="radio"/> White		
<input type="radio"/> Yellow ochre		

Product description

Terse and iconic design

A semi-conical fixture head.

An arm fixed to a round mounting box holds the fixture head.

Fixture head rotates and pivots to direct light as needed.

Different colour variants.

Is a member of a product family for both outdoor and indoor.

Mounting

Back plate dimension: 4.8" diameter. Mounts onto 4" octagonal outlet box. (USA only)

Light description

The fixture emits glare free, directed light.

Combined direct and indirect light ensures directed light with soft shadows

The shade is painted white on the inside to ensure a soft comfortable light distribution.

Design

Arne Jacobsen

Material

Fixture head and wall box: spun aluminium, 1.5mm (0.06") thick, wet painted.

Arm: extruded aluminium, 1.5mm (0.06") thick, wet painted.

Mounting plate: zinc plated aluminium, 1.5mm (0.06") thick.

Switch: on/off, phenolic black.

Socket: Porcelain, candelabra base for G16.5, frosted envelope lamps.

Weight


Min: 0.836 kg Max: 0.905 kg

Finish


Aubergine, Black, Dark green, Dark grey, Light grey, Midnight blue, Pale petroleum, Rusty red, Stainless steel polished, White, Yellow ochre

Light distribution diagrams

Cartesian



Isolux



Polar

