

 0 m<sup>3</sup>  38.75 kg   
0 Ft 85.43 Lbs

	<b>Table height</b>	<b>Inner height</b>	<b>Diameter</b>	<b>Cover Thickness</b>	<b>Base height</b>
<b>Measures (mm)</b>	750	720	1,300	30	720

**SUSTAINABILITY** ISO 14001  
level® 2 certified to ANSI/BIFMA e3 Standard

**RESISTANCE AND QUALITY** ISO 9001



 0 m<sup>3</sup>  41.2 kg  
0 Ft  90.83 Lbs 

	<b>Table height</b>	<b>Inner height</b>	<b>Diameter</b>	<b>Cover Thickness</b>	<b>Base height</b>
<b>Measures (mm)</b>	750	720	1,400	30	720

**SUSTAINABILITY** ISO 14001  
level® 2 certified to ANSI/BIFMA e3 Standard

**RESISTANCE AND QUALITY** ISO 9001



 0 m<sup>3</sup>  47.45 kg   
0 Ft 104.61 Lbs

	<b>Table height</b>	<b>Inner height</b>	<b>Diameter</b>	<b>Cover Thickness</b>	<b>Base height</b>
<b>Measures (mm)</b>	750	720	1,500	30	720

**SUSTAINABILITY** ISO 14001  
level® 2 certified to ANSI/BIFMA e3 Standard

**RESISTANCE AND QUALITY** ISO 9001




 1.45 m<sup>3</sup>  92.5 kg  
51.21 Ft 203.93 Lbs 

	<b>Table height</b>	<b>Inner height</b>	<b>Diameter</b>	<b>Cover Thickness</b>	<b>Base height</b>
<b>Measures (mm)</b>	750	720	1,800	30	720

**SUSTAINABILITY** ISO 14001  
level® 2 certified to ANSI/BIFMA e3 Standard

**RESISTANCE AND QUALITY** ISO 9001



 1.45 m<sup>3</sup>  92.5 kg   
51.21 Ft 203.93 Lbs

	<b>Table height</b>	<b>Inner height</b>	<b>Diameter</b>	<b>Cover Thickness</b>	<b>Base height</b>
<b>Measures (mm)</b>	750	720	2,000	30	720

**SUSTAINABILITY** ISO 14001  
level® 2 certified to ANSI/BIFMA e3 Standard

**RESISTANCE AND QUALITY** ISO 9001